

Tense

Table of contents

Philosophy	5
Intensity	6
Alu	7 - 9
RAL	10 - 11
Bronze	12 - 13
Metal	14 - 15
Gold	16
Copper Rose	17
Glass	18 - 19
Corian®	20 - 21
Stone	22 - 23
Wood	24 - 25
Landscape	26 - 27
Serenity	28 - 29
Velocity	30 - 31
Infinity	32 - 33
Infinity 4 fold	34 - 35
Infinity 8 fold	36
Demonstration Tools	37
Motivity	38
Motivity Wall	39
Motivity Ceiling	40
Motivity Line	41
Socket frames	42 - 43
Eyeswitch	44 - 45
Marketing tools	46
Customizations	47
Xillo Trimless Solutions	48 - 49
Installation	50
Order codes	51 - 57

The displayed images are for reference only.

Philosophy

COMPANY

Tense is the Belgian designer and MDT is the German manufacturer of the elegant Tense design switches, room controllers with OLED display and motion detectors. Furthermore, we offer socket frames and iPad holders in the same materials that match our product line to create a uniform look in your interior. All Tense design products can be flush-mounted thanks to the unique Xillo fixtures (www.xillo.be).



Tense and MDT combine more than 40 years of experience in home automation and electronics manufacturing. As being an ISO 9001 certified company, MDT always aims to exceed its customers' expectations of top quality, innovative R&D, unbeatable service, on-time delivery and professional export handling.

PRODUCTS

These high-quality products are stylish, easy to use, very reliable, designed with passion and were crowned by winning several design awards. Only the best technologies and premium raw materials are used to create our unique Tense products.

DESIGNED IN BELGIUM, MANUFACTURED IN GERMANY.



DESIGN PLUS

powered by: **ISH** 2023



The Intensity is a stern switch which beautifully combines **functionality and elegant design**. These switches are **capacitive-touch** based.

What kind of **finish** would you prefer? All of the following **materials** are available for the **Intensity**:

Metal Glass Corian® Stone Wood Composite

This makes the Intensity the **most wanted element** in any interior and is **user-friendly** due to the easy operation capabilities.

The Intensity is available with **1, 2, 4 or 8 touch zones**.

KNX INTEGRATION

Every **KNX Intensity** has **four functions**:

1. Touch:

- Every touch zone has a **double function** with both **short and long touch capability**
- Touching at least two buttons at the same time activates the **multi-touch** which has both a short as a long multitouch function. For an Intensity with 4 touch zones, this adds up to 10 touch functions.

2. Temperature:

- **Thermostat function** through its **built-in temperature sensor** or by connecting an **external KNX temperature sensor**.

3. LED feedback:

- All switches have **individual dimmable RGB LED feedback** per touch zone, which can be customized according to your wishes via the **ETS software of KNX**.

4. Other functionalities:

- Dimming, blind control, shutter control, scene module, timers, basic logic functions, up/down counters.

Intensity





Alu White
INTAW

Alu
INTA

Forged Alu
INTFA

Alu Dark Grey
INTADG

Forged Alu Dark Grey
INTFADG

Alu Black
INTAB

Forged Alu Black
INTFAB

Intensity alu


The modern design defines the **Intensity aluminium** range and fits in every contemporary interior.

The Intensity Alu White is coated in RAL9016 and needs to be cleaned with non-aggressive, non-solvent based cleansers. These are all **handmade products** which makes every switch unique.

Colour variations in Alu Dark Grey may occur. Alu Dark Grey available until obsolete.



AVAILABLE IN
ANY
RAL COLOUR
OF YOUR CHOICE



Intensity alu RAL

The colourful design defines the Intensity aluminium range and fits in every special interior. The Intensity Alu RAL can be coated in any RAL colour of your choice and is thus a special non-stock item. It needs to be cleaned with non-aggressive, non-solvent based cleansers.





Bronze Light
INTBL

Forged Bronze Light
INTFBL

Bronze
INTB

Forged Bronze
INTFB


Intensity bronze

The stylish bronze and bronze light finishes are achieved by a **long-established bronzing process of brass raw material**, which honours the **craftsmanship** that has existed for decades.

Bronzing is an **artisanal process**, therefore colour variations between products may occur. These finishes are protected with a semi-matte varnish.

These are all **handmade products** which makes every switch unique. Admire the deep living colour of the bronzed brass.





Intensity metal

These finishes induce an **extraordinary look and feel**. The chrome look has been obtained as the result of a craftsmanship process where stainless steel is polished. The Forged Steel finish gives an **old industrial and rough look** and is protected with a semi-matte varnish. These are all **handmade products** which makes every switch unique.



Forged Gold
INTFG


Brushed Gold
INTBG

Intensity gold

These finishes induce an **extraordinary** look and feel, your switches can either **blend in** or **stand out**.

These finishes are protected with a semi-matte varnish.

These are all **handmade** products which makes every switch unique.



Brushed Copper Rose
INTBCR

Forged Copper Rose
INTFCR

Intensity copper rose

Looking for an elegant and **trendy touch** in your interior? Then Copper Rose is definitely a must have. This stylish finish is an **eye-catcher** in any contemporary interior. These finishes are protected with a semi-matte varnish. These are all **handmade products** which makes every switch unique.





Black
INTGB

White
INTGW

Intensity glass

The premium design glass front is coated with several layers of high-quality ink through silk screen printing. The available colours are: RAL7001 (silver) until obsolete, RAL9017 (black) or RAL9016 (white).



AVAILABLE IN
DIFFERENT
COLOURS



White
INTCW

Black
INTCB


Intensity Corian®



Corian®, this **maintenance friendly material** is often used in **kitchens** and **bathrooms**.
The simplicity in the design of the Corian® White switch offers you a **smooth** and **clean design** look.
The refined colours of Corian® allow you to create a **colourful** and **inspiring switch**.







French White
INTSW

Belgian Blue
INTSBB

Carrara Bianco Marble
INTSCBM

Ceppo Di Gres Limestone
INTSCDGL

Calacatta Marble
INTSCM

Emperador Grey Marble
INTSEGM

Oak White Marble
INTSOWM

Emperador Marron Marble
INTSEMM

Intensity stone

These carefully selected natural stones are warm and classy elements to decorate your interior.

Depending on the stone type, some fronts are polished and other ones maintain the natural rough surface.

Stone is a natural material and therefore every switch is unique in colour and texture. Other stone types available on request, or make your own stone plate and glue it to our electronics (INTINT...).





Walnut
INTWWA

Wenge
INTWWE

Afrormosia
INTWAF

Padouk
INTWPA

Oak Pura Natura
INTWOPN

Oak Dark
INTWOD

Oak Cotton White
INTWOCW


Ash
INTWAS

Intensity wood


These classy wooden fronts represent **craftsmanship** and give a **natural look and feel** to your interior. Wood is a **natural product** and can vary in colour and pattern. Therefore, each of our wooden switches is unique. Other wood types on request.




AVAILABLE IN
ALL METAL
FINISHES
FOR LARGE
PROJECTS



Alu Black 1 fold
INTLAB1



Alu Black 2 fold
INTLAB2




Alu Black 4 fold
INTLAB4

Intensity Landscape

The Intensity Landscape switch, specially designed for the Blue Lagoon Hotel***** in Iceland, consists of 1, 2 or 4 touch zones. This switch is available on special request for large projects in **all kinds of metal** and is ideal for customizations such as **engraving, lasering or printing** (depending on the material type). These are all **handmade products**, hence makes every switch unique.




AVAILABLE IN
ALMOST
ALL METAL
FINISHES



Forged Alu 1 fold
SERFA1



Forged Alu 2 fold
SERFA2




Forged Alu 4 fold
SERFA4

Serenity


The Serenity is a mechanical switch with 1,2 or 4 push buttons with a click feedback and can as well be operated by a single, double or multi-click. This switch is available in almost **all kinds of metal** and is ideal for customizations such as **engraving, lasering or printing** (depending on the material type). These are all **handmade products**, hence makes every switch unique.




AVAILABLE IN
ALMOST
ALL METAL
FINISHES



Forged Alu 1 fold
VELFA1



Forged Alu 2 fold
VELFA2



Forged Alu 4 fold
VELFA4

Velocity

The Velocity is a mechanical switch with 1,2 or 4 levers/toggles with a click feedback and can as well be operated by a single, double or multi-click. This switch is available in almost **all kinds of metal** and is ideal for customizations such as **engraving, lasering or printing** (depending on the material type). These are all **handmade products**, hence makes every switch unique.



The Infinity is more than a capacitive touch based switch. It opens a box of possibilities on top of what the Intensity switch can do.

Thanks to its **smart OLED display**, functions are numerous and your switch becomes a complete **room controller**.

Would you like to control your audio? Check energy readings? Or do you like to have text feedback concerning, e.g. the thermostat function? The Infinity does it all.

On top of that, the **Infinity** comes in the same range of **materials** as all the other products in the Tense range:

Metal Glass Corian® (Wood) (Stone)

The Infinity combines the stern designer look whilst incorporating all the extra functionalities of a complete room controller. All these functions are set through the **ETS software** of KNX.

This switch is available with **4 or 8 touch zones**.

Every **KNX Infinity** has **three functions**:

1. Touch:

- Every touch zone has a double function with the **short and long touch capability**.
- By a **short multi-touch** you display the **extra information page**.
- By a **long multi-touch** you enter the **main menu** (e.g.: lights, shutters, blinds, curtains, multimedia, thermostat, motors ...)
and you navigate the **main menu** by sliding the upper two buttons. You navigate the **sub menu** by horizontally sliding the lower two buttons.

2. Temperature:

- Thermostat function through its **built-in temperature sensor** or by connecting an **external KNX temperature sensor**.

3. LED feedback:

- All switches have individual dimmable RGB LED feedback per touch zone which can be customized regarding to your wishes.

Infinity



AVAILABLE IN
METAL
GLASS
CORIAN®
(WOOD)
(STONE)



Alu
INFA

Bronze
INFB

Alu Black
INFAB

Alu Dark Grey
INFADG

Infinity 4 fold

Room controller with 4 direct touch buttons and a menu to control your light settings, blinds, shutters, thermostat, audio ...

These are all handmade products hence every room controller is unique in colour and texture.

AVAILABLE IN
METAL
CORIAN®
(WOOD)
(STONE)



Infinity 8 fold

INFAW8
Infinity Alu White 8F

Room controllers with 8 direct touchbuttons are available in metal and Corian®.
The OLED display enables you to **visualize** the **different functions** of your system, e.g., light settings, blinds, shutters, thermostat, audio ...
These are all **handmade products**. Hence every room controller is unique in colour and texture.



Demonstration tools

Would you like to see, feel and experience the high quality materials of the Tense products?

Select a non-functioning sample with 4 touch buttons in the same finish (DEM_INT...4). Or choose one of our predefined faceplates (DEM_INTMIX...).

These are all excellent sales tools to show all the 19 available Tense Metal finishes.

We proudly present our elegant and refined Motivity range.
You can integrate these **motion detectors** discretely in your interior or use them to make a design statement.

Every KNX Motivity has **four functions**:

1. Motion detection:

- Up to **4 different output actions** are available, which can be activated independently under certain conditions (e.g. day/night):
 - Switching
 - Dimming
 - Recalling scenes
 - Sending 1 or 2 byte unsigned values

All these output actions are possible with a **programmable switch-off delay** and can also be **brightness dependent**.

A **blocking object functionality** and **ventilation control** are available as well.

Master/Slave Mode is possible.

2. Brightness detection:

- Both the Motivity Ceiling White, Motivity Line White and Motivity Plus White are equipped with a brightness sensor.

3. Temperature:


- Every Motivity has an internal temperature sensor and a **thermostat function**.

4. Other functions:

- Timers
- Scene module
- Basic logic functions
- Up/down counters

Motivity

AVAILABLE IN
METAL
GLASS
CORIAN®
(STONE)
WOOD



KNX_MOTGB



KNX_MOTGW

Theoretical and not guaranteed distances (depending on ΔT , movement speed, movement direction, object size, detection zone/beam crossing,...)

DISTANCE FROM OBJECT (m)	MINIMUM DETECTION Ø (m)
0,50	0,86
1,00	1,74
1,50	2,60
2,00	3,48
2,50	4,34
3,00	5,22
3,50	6,08
4,00	6,77
4,50	8,72


360° view, 82° minimal angle

Motivity Wall

The Motivity Wall is an elegant solution for installing a motion detector in a wall and for who likes to have the same materials as the switches.
This motion detector has a built-in temperature sensor.



INSTALLATION HEIGHT (m)	ELEPTICAL AXIS X Ø (m)	ELEPTICAL AXIS Y Ø (m)
1	3,08	2,30
2	6,16	4,70
3	9,24	6,90
4	12,32	9,20
5	15,40	11,50
6	16,00	13,80
7	14,30	14,30
8	12,00	12,00
9	8,70	8,70



360° view, 93° minimal angle

Theoretical and not guaranteed distances (depending on ΔT , movement speed, movement direction, object size, detection zone/beam crossing,...)



MOTIW
Motivity Ceiling White

Motivity Ceiling

This motion detector is one of the **smallest** detectors in the world with a diameter of only 17,4 mm (drill hole of $\varnothing$ 18 mm). The black/white plastic rosette can be cut off for a minimalistic end result. The KNX Motivity Ceiling Black (KNX_MOTIB) contains a motion detector and a temperature sensor, while the Motivity Ceiling White (KNX_MOTIW) also has the ability to monitor brightness. The special SAPP version has been developed for the interalu SAPP office ceilings.



CONCRETE/PLASTERBOARD CEILING

INSTALLATION HEIGHT (m)	ELEPTICAL AXIS X Ø (m)	ELEPTICAL AXIS Y Ø (m)
1	3,20	0,45
2	6,40	0,90
3	8,00	1,30
4	6,00	1,80
4,80	2,60	2,15

35° view, 150° minimal angle

KNX_MOTLIB

KNX_MOTLIW

Theoretical and not guaranteed distances (depending on ΔT , movement speed, movement direction, object size, detection zone/beam crossing,...)

Motivity Line


MOTLIW
Motivity Line White

This motion detector is the smallest line detector in the world. The black/white plastic rosette can be cut off for a minimalistic end result. With its narrow detection zone an ideal choice for hallways, staircases, dressings, alongside the bed... The KNX Motivity Line Black (KNX_MOTLIB) contains a motion detector and a temperature sensor, while the Motivity Line White (KNX_MOTLIW) as well has the ability to monitor brightness.



ACCESSORIES


Other combinations available on request




BCU_EBSS02
Wallbox for placing switch and socket aligned



BCU_EBSS03
Wallbox for placing switch and 2F socket aligned



BCU_EBSM02
Wallbox for placing switch and switch aligned




BCU_EBSM02
Wallbox for placing switch and motivity wall aligned

TRIM SOCK6MMMCW1

Trimless Socket 6mm Metal Corian Wood 1F

SOCK6MMRB1

Socket 6mm Round Bronze 1F



SQUARE 12mm


55x55 insert Jung, Berker, Gira, ...

All finishes

Glass, Stone and Wooden 4F & 5F frames available on request.



schuko be/fr 1x/rj45 usb a/c coax 2x/rj45 uk ...



SQUARE 6mm

45x45 insert Legrand Arteor/Mosaic/Valena Next , Peha Concept 45 ,


Simon K45 , Hager Gallery, Efapel MEC Q45, Sinoamigo type 45, TEM

teknik, Niko (RJ45 only), Caymon

All metals



schuko be/fr 1x/rj45 usb a/c coax 2x/rj45 uk ...



ROUND 6mm

45x45 insert Legrand Arteor/Mosaic/Valena Next , Peha Concept 45 ,

Simon K45 , Hager Gallery, Efapel MEC Q45, Sinoamigo type 45, TEM

teknik, Niko (RJ45 only), Caymon

All metals



schuko be/fr 1x/rj45 usb a/c coax 2x/rj45 uk ...

 Only with 2 x Peha white RJ45 (2758.21 UAE-C6)

Socket frames

Use single/multiple German Standard or single British Standard 3x3 wall boxes only for all our different types of socket plates. Try out the wallboxes and socket inserts in combination with our socket frames before you start the installation.

Distance between the center points is 71 mm.

Inserts of the several manufacturers may differ from colour, texture, brilliance, ... Inserts not included.

For some RJ45 inserts, the transparent cover should be removed and the 2 hinges cut off.





Install the special double wall box without separation (included) vertically on the wall and fix the Eyeswitch Intensity into place.



Gently slide the supporting bracket into place and adjust the height of the connector accordingly to the iPad type.



Mount the iPad by gently sliding and clicking it into the connector.
(iPad not included)



The iPad is now ready to use in your home automation.


Eyeswitch

This handy universal iPad mount (EYE_INT...) with integrated charger is combined with an 8 fold Intensity switch. You can adjust the height of the connector according to your iPad type. In a few seconds, your iPad becomes wall-mounted. Thanks to the Intensity switch, you can directly operate your home automation, even when the iPad is not present. If necessary, it is very easy to demount the iPad and supporting bracket while maintaining a sleek designer look thanks to the Intensity 8 fold switch. This product is available with a USB-C or Lightning connector in all metal finishes.. For the lightning connector version, a direct LAN kit is available (EYE_LAN_KIT_L).

Marketing Box



Marketing Case Premium



Marketing tools

Marketing Case Premium (XWM-T-MTC-100): this case can be connected to the mains or to your KNX system and enables your customer/architect to touch, feel and experience 4 functioning KNX Intensity switches, 1 functioning KNX Serenity switch, 1 functioning KNX Velocity switch and 1 KNX Infinity switch. Furthermore, the demo case contains a sample of nearly all Tense products, versions and materials.

Marketing Box (XWM-T-MBX-001): this handy box contains the standard material range in 24 handy demo plates of 42*42mm and one demo plate of 84*84mm.



Customizations

Would you like to personalize your products permanently with inscriptions, logos and/or symbols?

All Tense finishes are suitable for lasering, engraving and/or printing.

Special request? Looking for a unique piece? Tense is able to **customize your products or ideas** in order to obtain a **uniform look** throughout your project.

Featuring Partner

XILLO
INNOVATIVE RECESSED SOLUTIONS

www.xillo.be




INTAW4
Intensity Alu White 4F

TRIM_SWITCHMCWINV124_P
Invisible switch Metal Corian Wood Invisible, 1, 2, 4F Plasterboard Wall


Plasterboard wall (12,5 mm)




Cut a hole in the wall and install 2 wooden planks (dimensions: see technical data sheet)



Screw the fixture on the wooden planks by using 4 screws



Add fiberglass netting and plaster up to the rounded second level




Smoothen with a sanding machine



Paint the wall


Brick/Concrete wall (6 mm)




Drill a hole in the wall (dimensions: see technical data sheet)




Screw the fixture on the wall by using 4 plugs and screws



Add fiberglass netting and plaster up to the rounded second level



Smoothen with a sanding machine



Paint the wall

For the trimless solutions
contact:
export@xillo.be

Trimless 100% recessed

Almost all Tense products can be flush-mounted in the strong, plasterable and paintable Xillo composite fixture.

This innovative recessed solution is fast to install and easy to plaster thanks to the handy indicators and layer design on the fixture.

Xillo meets the highest finishing standards and is suitable for all surfaces (plasterboard wall - 12,5 mm and plastered brick/concrete wall - 6 mm) which creates a recessed look in every project.



or



or



or



or



Installation & Maintenance

Tense products can be installed in a single round or square European Standard or single 3x3 British Standard wall mounting box. Use flat headed screws to fix the BCU to the wall.

For the 8 fold Intensity switch, 8 fold Infinity room controller and the 4 fold Intensity Landscape, only **one single wall box** is needed.



All Tense switches are to be cleaned with non-aggressive, non-solvent based cleansers.

KNX_KNX_CODE
DEMO_DEM_CODE

ALU	FORGED ALU	ALU BLACK	FORGED ALU BLACK	ALU DARK GREY	FORGED ALU DARK GREY	ALU WHITE	ALU RAL SPECIAL	DIMENSIONS (mm)
-----	---------------	--------------	---------------------	------------------	-------------------------	--------------	--------------------	-----------------

INTENSITY switch										
	1F	KNX_INTA1.01	KNX_INTFA1.01	KNX_INTAB1.01	KNX_INTFAB1.01	KNX_INTADG1.01	KNX_INTFADG1.01	KNX_INTAW1.01	KNX_INTARAL1.01	84 x 84 x 6
	2F	KNX_INTA2.01	KNX_INTFA2.01	KNX_INTAB2.01	KNX_INTFAB2.01	KNX_INTADG2.01	KNX_INTFADG2.01	KNX_INTAW2.01	KNX_INTARAL2.01	84 x 84 x 6
	4F	KNX_INTA4.01	KNX_INTFA4.01	KNX_INTAB4.01	KNX_INTFAB4.01	KNX_INTADG4.01	KNX_INTFADG4.01	KNX_INTAW4.01	KNX_INTARAL4.01	84 x 84 x 6
	8F	KNX_INTA8.01	KNX_INTFA8.01	KNX_INTAB8.01	KNX_INTFAB8.01	KNX_INTADG8.01	KNX_INTFADG8.01	KNX_INTAW8.01	KNX_INTARAL8.01	165 x 84 x 6
INTENSITY LANDSCAPE switch***										
	1F	KNX_INTLA1.01	KNX_INTLFA1.01	KNX_INTLAB1.01	KNX_INTLFAB1.01	KNX_INTLADG1.01	KNX_INTLFADG1.01	KNX_INTLAW1.01	KNX_INTLARAL1.01	84 x 84 x 6
	2F	KNX_INTLA2.01	KNX_INTLFA2.01	KNX_INTLAB2.01	KNX_INTLFAB2.01	KNX_INTLADG2.01	KNX_INTLFADG2.01	KNX_INTLAW2.01	KNX_INTLARAL2.01	84 x 84 x 6
	4F	KNX_INTLA4.01	KNX_INTLFA4.01	KNX_INTLAB4.01	KNX_INTLFAB4.01	KNX_INTLADG4.01	KNX_INTLFADG4.01	KNX_INTLAW4.01	KNX_INTLARAL4.01	165 x 84 x 6
Serenity switch**										
	1F	KNX_SERA1.01	KNX_SERFA1.01	KNX_SERAB1.01	KNX_SERFAB1.01	KNX_SERADG1.01	KNX_SERFADG1.01	KNX_SERAW1.01	KNX_SERARAL1.01	84 x 84 x 6
	2F	KNX_SERA2.01	KNX_SERFA2.01	KNX_SERAB2.01	KNX_SERFAB2.01	KNX_SERADG2.01	KNX_SERFADG2.01	KNX_SERAW2.01	KNX_SERARAL2.01	84 x 84 x 6
	4F	KNX_SERA4.01	KNX_SERFA4.01	KNX_SERAB4.01	KNX_SERFAB4.01	KNX_SERADG4.01	KNX_SERFADG4.01	KNX_SERAW4.01	KNX_SERARAL4.01	84 x 84 x 6
Velocity switch**										
	1F	KNX_VELA1.01	KNX_VELFA1.01	KNX_VELAB1.01	KNX_VELFAB1.01	KNX_VELADG1.01	KNX_VELFADG1.01	KNX_VELAW1.01	KNX_VELARAL1.01	84 x 84 x 6
	2F	KNX_VELA2.01	KNX_VELFA2.01	KNX_VELAB2.01	KNX_VELFAB2.01	KNX_VELADG2.01	KNX_VELFADG2.01	KNX_VELAW2.01	KNX_VELARAL2.01	84 x 84 x 6
	4F	KNX_VELA4.01	KNX_VELFA4.01	KNX_VELAB4.01	KNX_VELFAB4.01	KNX_VELADG4.01	KNX_VELFADG4.01	KNX_VELAW4.01	KNX_VELARAL4.01	84 x 84 x 6
INFINITY room controller (KNX only)										
	OLED 4F	KNX_INFA4.01	KNX_INFFA4.01	KNX_INFAB4.01	KNX_INFFAB4.01	KNX_INFADG4.01	KNX_INFFADG4.01	KNX_INF4.01	KNX_INFARAL4.01	84 x 84 x 9
	OLED 8F	KNX_INF8.01	KNX_INFF8.01	KNX_INFAB8.01	KNX_INFFAB8.01	KNX_INFADG8.01	KNX_INFFADG8.01	KNX_INF8.01	KNX_INFARAL8.01	165 x 84 x 9

* On request
** DEMO: DEMO_CODE is not available
*** Only for large projects

		ALU	FORGED ALU	ALU BLACK	FORGED ALU BLACK	ALU DARK GREY	FORGED ALU DARK GREY	ALU WHITE	ALU RAL SPECIAL	DIMENSIONS (mm)
SOCKET frame 12mm									...	
	1F	SOCKA1	SOCKFA1	SOCKAB1	SOCKFAB1	SOCKADF1	SOCKFADG1	SOCKAW1	SOCKARAL1	84 x 84 x 12
	2F	SOCKA2	SOCKFA2	SOCKAB2	SOCKFAB2	SOCKADG2	SOCKFADG2	SOCKAW2	SOCKARAL2	155 x 84 x 12
	3F	SOCKA3	SOCKFA3	SOCKAB3	SOCKFAB3	SOCKADG3	SOCKFADG3	SOCKAW3	SOCKARAL3	226 x 84 x 12
	4F	SOCKA4	SOCKFA4	SOCKAB4	SOCKFAB4	SOCKADG4	SOCKFADG4	SOCKAW4	SOCKARAL4	297 x 84 x 12
	5F	SOCKA5	SOCKFA5	SOCKAB5	SOCKFAB5	SOCKADG5	SOCKFADG5	SOCKAW5	SOCKARAL5	368 x 84 x 12
SOCKET frame 6mm round									...	
	1F	SOCK6MMRA1	SOCK6MMRFA1	SOCK6MMRAB1	SOCK6MMRFAB1	SOCK6MMRADF1	SOCK6MMRFADG1	SOCK6MMRAW1	SOCK6MMRARAL1	84 x 84 x 6
	2F	SOCK6MMRA2	SOCK6MMRFA2	SOCK6MMRAB2	SOCK6MMRFAB2	SOCK6MMRADG2	SOCK6MMRFADG2	SOCK6MMRAW2	SOCK6MMRARAL2	155 x 84 x 6
	3F	SOCK6MMRA3	SOCK6MMRFA3	SOCK6MMRAB3	SOCK6MMRFAB3	SOCK6MMRADG3	SOCK6MMRFADG3	SOCK6MMRAW3	SOCK6MMRARAL3	226 x 84 x 6
	4F	SOCK6MMRA4	SOCK6MMRFA4	SOCK6MMRAB4	SOCK6MMRFAB4	SOCK6MMRADG4	SOCK6MMRFADG4	SOCK6MMRAW4	SOCK6MMRARAL4	297 x 84 x 6
	5F	SOCK6MMRA5	SOCK6MMRFA5	SOCK6MMRAB5	SOCK6MMRFAB5	SOCK6MMRADG5	SOCK6MMRFADG5	SOCK6MMRAW5	SOCK6MMRARAL5	368 x 84 x 6
SOCKET frame 6mm square									...	
	1F	SOCK6MMSA1	SOCK6MMSFA1	SOCK6MMSAB1	SOCK6MMSFAB1	SOCK6MMSADF1	SOCK6MMSFADG1	SOCK6MMSAW1	SOCK6MMSARAL1	84 x 84 x 6
	2F	SOCK6MMSA2	SOCK6MMSFA2	SOCK6MMSAB2	SOCK6MMSFAB2	SOCK6MMSADG2	SOCK6MMSFADG2	SOCK6MMSAW2	SOCK6MMSARAL2	155 x 84 x 6
	3F	SOCK6MMSA3	SOCK6MMSFA3	SOCK6MMSAB3	SOCK6MMSFAB3	SOCK6MMSADG3	SOCK6MMSFADG3	SOCK6MMSAW3	SOCK6MMSARAL3	226 x 84 x 6
	4F	SOCK6MMSA4	SOCK6MMSFA4	SOCK6MMSAB4	SOCK6MMSFAB4	SOCK6MMSADG4	SOCK6MMSFADG4	SOCK6MMSAW4	SOCK6MMSARAL4	297 x 84 x 6
	5F	SOCK6MMSA5	SOCK6MMSFA5	SOCK6MMSAB5	SOCK6MMSFAB5	SOCK6MMSADG5	SOCK6MMSFADG5	SOCK6MMSAW5	SOCK6MMSARAL5	368 x 84 x 6
MOTIVITY WALL detector		KNX_MOTA.01	KNX_MOTFA.01	KNX_MOTAB.01	KNX_MOTFAB.01	KNX_MOTADG.01	KNX_MOTFADG.01	KNX_MOTAW.01	KNX_MOTARAL.01	84 x 84 x 6
EYESWITCH LIGHTNING*		KNX_EYEINTA8_L.01	KNX_EYEINTFA8_L.01	KNX_EYEINTAB8_L.01	KNX_EYEINTFAB8_L.01	KNX_EYEINTADG8_L.01	KNX_EYEINTFADG8_L.01	KNX_EYEINTAW8_L.01	KNX_EYEINTARAL8_L.01	182 x 320 x 14
EYESWITCH USB-C**		KNX_EYEINTA8_C.01	KNX_EYEINTFA8_C.01	KNX_EYEINTAB8_C.01	KNX_EYEINTFAB8_C.01	KNX_EYEINTADG8_C.01	KNX_EYEINTFADG8_C.01	KNX_EYEINTAW8_C.01	KNX_EYEINTARAL8_C.01	182 x 320 x 14

* Power supply is included in the product LAN connection kit (EYE_LAN_KIT_L) has to be ordered separately.

** Power supply is included in the product. LAN connection kit (EYE_LAN_KIT) is not available.

*** Not included

KNX_KNX_CODE
DEMO DEM_CODE

		BRONZE	FORGED BRONZE	BRONZE LIGHT	FORGED BRONZE LIGHT	BRUSHED GOLD	FORGED GOLD	BRUSHED COPPER ROSE	FORGED COPPER ROSE	CHROME	STAINLESS STEEL	FORGED STAINLESS STEEL	FORGED STEEL	DIMENSIONS (mm)
INTENSITY switch														
	1F	KNX_INTB1.01	KNX_INTFB1.01	KNX_INTBL1.01	KNX_INTFBL1.01	KNX_INTBG1.01	KNX_INTFG1.01	KNX_INTBCR1.01	KNX_INTFCR1.01	KNX_INTCH1.01	KNX_INTSS1.01	KNX_INTFSS1.01	KNX_INTFS1.01	84 x 84 x 6
	2F	KNX_INTB2.01	KNX_INTFB2.01	KNX_INTBL2.01	KNX_INTFBL2.01	KNX_INTBG2.01	KNX_INTFG2.01	KNX_INTBCR2.01	KNX_INTFCR2.01	KNX_INTCH2.01	KNX_INTSS2.01	KNX_INTFSS2.01	KNX_INTFS2.01	84 x 84 x 6
	4F	KNX_INTB4.01	KNX_INTFB4.01	KNX_INTBL4.01	KNX_INTFBL4.01	KNX_INTBG4.01	KNX_INTFG4.01	KNX_INTBCR4.01	KNX_INTFCR4.01	KNX_INTCH4.01	KNX_INTSS4.01	KNX_INTFSS4.01	KNX_INTFS4.01	84 x 84 x 6
	8F	KNX_INTB8.01	KNX_INTFB8.01	KNX_INTBL8.01	KNX_INTFBL8.01	KNX_INTBG8.01	KNX_INTFG8.01	KNX_INTBCR8.01	KNX_INTFCR8.01	KNX_INTCH8.01	KNX_INTSS8.01	KNX_INTFSS8.01	KNX_INTFS8.01	165 x 84 x 6
INTENSITY LANDSCAPE switch***														
	1F	KNX_INTLB1.01	KNX_INTLFB1.01	KNX_INTLBL1.01	KNX_INTLFB1.01	KNX_INTLBG1.01	KNX_INTLFG1.01	KNX_INTLBCR1.01	KNX_INTLFCR1.01	KNX_INTLCH1.01	KNX_INTLSS1.01	KNX_INTLFSS1.01	KNX_INTLFS1.01	84 x 84 x 6
	2F	KNX_INTLB2.01	KNX_INTLFB2.01	KNX_INTLBL2.01	KNX_INTLFB2.01	KNX_INTLBG2.01	KNX_INTLFG2.01	KNX_INTLBCR2.01	KNX_INTLFCR2.01	KNX_INTLCH2.01	KNX_INTLSS2.01	KNX_INTLFSS2.01	KNX_INTLFS2.01	84 x 84 x 6
	4F	KNX_INTLB4.01	KNX_INTLFB4.01	KNX_INTLBL4.01	KNX_INTLFB4.01	KNX_INTLBG4.01	KNX_INTLFG4.01	KNX_INTLBCR4.01	KNX_INTLFCR4.01	KNX_INTLCH4.01	KNX_INTLSS4.01	KNX_INTLFSS4.01	KNX_INTLFS4.01	165 x 84 x 6
SERENITY switch**														
	1F	KNX_SERB1.01	KNX_SERFB1.01	KNX_SERBL1.01	KNX_SERFBL1.01	KNX_SERBG1.01	KNX_SERFG1.01	KNX_SERBCR1.01	KNX_SERFCR1.01	KNX_SERCH1.01	KNX_SERSS1.01	KNX_SERFSS1.01	KNX_SERFS1.01	84 x 84 x 6
	2F	KNX_SERB2.01	KNX_SERFB2.01	KNX_SERBL2.01	KNX_SERFBL2.01	KNX_SERBG2.01	KNX_SERFG2.01	KNX_SERBCR2.01	KNX_SERCR2.01	KNX_SERCH2.01	KNX_SERSS2.01	KNX_SERFSS2.01	KNX_SERFS2.01	84 x 84 x 6
	4F	KNX_SERB4.01	KNX_SERFB4.01	KNX_SERBL4.01	KNX_SERFBL4.01	KNX_SERBG4.01	KNX_SERFG4.01	KNX_SERBCR4.01	KNX_SERCR4.01	KNX_SERCH4.01	KNX_SERSS4.01	KNX_SERFSS4.01	KNX_SERFS4.01	84 x 84 x 6
Velocity switch**														
	1F	KNX_VELB1.01	KNX_VELFB1.01	KNX_VELBL1.01	KNX_VELFBL1.01	KNX_VELBG1.01	KNX_VELFG1.01	KNX_VELBCR1.01	KNX_VELFCR1.01	KNX_VELCH1.01	KNX_VELSS1.01	KNX_VELFSS1.01	KNX_VELFS1.01	84 x 84 x 6
	2F	KNX_VELB2.01	KNX_VELFB2.01	KNX_VELBL2.01	KNX_VELFBL2.01	KNX_VELBG2.01	KNX_VELFG2.01	KNX_VELBCR2.01	KNX_VELFCR2.01	KNX_VELCH2.01	KNX_VELSS2.01	KNX_VELFSS2.01	KNX_VELFS2.01	84 x 84 x 6
	4F	KNX_VELB4.01	KNX_VELFB4.01	KNX_VELBL4.01	KNX_VELFBL4.01	KNX_VELBG4.01	KNX_VELFG4.01	KNX_VELBCR4.01	KNX_VELFCR4.01	KNX_VELCH4.01	KNX_VELSS4.01	KNX_VELFSS4.01	KNX_VELFS4.01	84 x 84 x 6
INFINITY room controller (KNX only)														
	OLED 4F	KNX_INF4.01	KNX_INF4.01	KNX_INF4.01	KNX_INF4.01	KNX_INF4.01	KNX_INF4.01	KNX_INF4.01	KNX_INF4.01	KNX_INF4.01	KNX_INF4.01	KNX_INF4.01	KNX_INF4.01	84 x 84 x 9
	OLED 8F	KNX_INF8.01	KNX_INF8.01	KNX_INF8.01	KNX_INF8.01	KNX_INF8.01	KNX_INF8.01	KNX_INF8.01	KNX_INF8.01	KNX_INF8.01	KNX_INF8.01	KNX_INF8.01	KNX_INF8.01	165 x 84 x 9

* On request
 ** DEMO: DEMO_CODE is not available
 *** Only for large projects

BRONZE	FORGED BRONZE	BRONZE LIGHT	FORGED BRONZE LIGHT	BRUSHED GOLD	FORGED GOLD	BRUSHED COPPER ROSE	FORGED COPPER ROSE	CHROME	STAINLESS STEEL	FORGED STAINLESS STEEL	FORGED STEEL	DIMENSIONS (mm)
--------	------------------	--------------	------------------------	--------------	----------------	------------------------	-----------------------	--------	-----------------	---------------------------	-----------------	-----------------

SOCKET frame 12mm		55 x 55 mm Insert***		 schuko	 be/fr	 1x rj45	 usb a/c	 coax	 2x rj45	 uk	...				
	1F	SOCKB1	SOCKFB1	SOCKBL1	SOCKFBL1	SOCKBG1	SOCKFG1	SOCKBCR1	SOCKFCR1	SOCKCH1	SOCKSS1	SOCKFSS1	SOCKFS1	84 x 84 x 12	
	2F	SOCKB2	SOCKFB2	SOCKBL2	SOCKFBL2	SOCKBG2	SOCKFG2	SOCKBCR2	SOCKFCR2	SOCKCH2	SOCKSS2	SOCKFSS2	SOCKFS2	155 x 84 x 12	
	3F	SOCKB3	SOCKFB3	SOCKBL3	SOCKFBL3	SOCKBG3	SOCKFG3	SOCKBCR3	SOCKFCR3	SOCKCH3	SOCKSS3	SOCKFSS3	SOCKFS3	226 x 84 x 12	
	4F	SOCKB4	SOCKFB4	SOCKBL4	SOCKFBL4	SOCKBG4	SOCKFG4	SOCKBCR4	SOCKFCR4	SOCKCH4	SOCKSS4	SOCKFSS4	SOCKFS4	297 x 84 x 12	
	5F	SOCKB5	SOCKFB5	SOCKBL5	SOCKFBL5	SOCKBG5	SOCKFG5	SOCKBCR5	SOCKFCR5	SOCKCH5	SOCKSS5	SOCKFSS5	SOCKFS5	368 x 84 x 12	

SOCKET frame 6mm round		45 x 45 mm Insert***	 schuko	 be/fr	 1x rj45	 usb a/c	 coax	 2x rj45	 uk	...					
	1F		SOCK6MMRB1	SOCK6MMRFB1	SOCK6MMRBL1	SOCK6MMRFBL1	SOCK6MMRBG1	SOCK6MMRFG1	SOCK6MMRBCR1	SOCK6MMRFCR1	SOCK6MMRCH1	SOCK6MMRSS1	SOCK6MMRFSS1	SOCK6MMRFS1	84 x 84 x 6
	2F		SOCK6MMRB2	SOCK6MMRFB2	SOCK6MMRBL2	SOCK6MMRFBL2	SOCK6MMRBG2	SOCK6MMRFG2	SOCK6MMRBCR2	SOCK6MMRFCR2	SOCK6MMRCH2	SOCK6MMRSS2	SOCK6MMRFSS2	SOCK6MMRFS2	155 x 84 x 6
	3F		SOCK6MMRB3	SOCK6MMRFB3	SOCK6MMRBL3	SOCK6MMRFBL3	SOCK6MMRBG3	SOCK6MMRFG3	SOCK6MMRBCR3	SOCK6MMRFCR3	SOCK6MMRCH3	SOCK6MMRSS3	SOCK6MMRFSS3	SOCK6MMRFS3	226 x 84 x 6
	4F		SOCK6MMRB4	SOCK6MMRFB4	SOCK6MMRBL4	SOCK6MMRFBL4	SOCK6MMRBG4	SOCK6MMRFG4	SOCK6MMRBCR4	SOCK6MMRFCR4	SOCK6MMRCH4	SOCK6MMRSS4	SOCK6MMRFSS4	SOCK6MMRFS4	297 x 84 x 6
	5F		SOCK6MMRB5	SOCK6MMRFB5	SOCK6MMRBL5	SOCK6MMRFBL5	SOCK6MMRBG5	SOCK6MMRFG5	SOCK6MMRBCR5	SOCK6MMRFCR5	SOCK6MMRCH5	SOCK6MMRSS5	SOCK6MMRFSS5	SOCK6MMRFS5	368 x 84 x 6

SOCKET frame 6mm square		45 x 45 mm Insert***	 schuko	 be/fr	 1x rj45	 usb a/c	 coax	 2x rj45	 uk	...					
	1F		SOCK6MMSB1	SOCK6MMSFB1	SOCK6MMSBL1	SOCK6MMSFBL1	SOCK6MMSBG1	SOCK6MMSFG1	SOCK6MMSBCR1	SOCK6MMSFCR1	SOCK6MMSCH1	SOCK6MMSSS1	SOCK6MMSFSS1	SOCK6MMSFS1	84 x 84 x 6
	2F		SOCK6MMSB2	SOCK6MMSFB2	SOCK6MMSBL2	SOCK6MMSFBL2	SOCK6MMSBG2	SOCK6MMSFG2	SOCK6MMSBCR2	SOCK6MMSFCR2	SOCK6MMSCH2	SOCK6MMSSS2	SOCK6MMSFSS2	SOCK6MMSFS2	155 x 84 x 6
	3F		SOCK6MMSB3	SOCK6MMSFB3	SOCK6MMSBL3	SOCK6MMSFBL3	SOCK6MMSBG3	SOCK6MMSFG3	SOCK6MMSBCR3	SOCK6MMSFCR3	SOCK6MMSCH3	SOCK6MMSSS3	SOCK6MMSFSS3	SOCK6MMSFS3	226 x 84 x 6
	4F		SOCK6MMSB4	SOCK6MMSFB4	SOCK6MMSBL4	SOCK6MMSFBL4	SOCK6MMSBG4	SOCK6MMSFG4	SOCK6MMSBCR4	SOCK6MMSFCR4	SOCK6MMSCH4	SOCK6MMSSS4	SOCK6MMSFSS4	SOCK6MMSFS4	297 x 84 x 6
	5F		SOCK6MMSB5	SOCK6MMSFB5	SOCK6MMSBL5	SOCK6MMSFBL5	SOCK6MMSBG5	SOCK6MMSFG5	SOCK6MMSBCR5	SOCK6MMSFCR5	SOCK6MMSCH5	SOCK6MMSSS5	SOCK6MMSFSS5	SOCK6MMSFS5	368 x 84 x 6

MOTIVITY WALL detector	KNX_MOTB.01	KNX_MOTFB.01	KNX_MOTBL.01	KNX_MOTFBL.01	KNX_MOTBG.01	KNX_MOTFG.01	KNX_MOTBCR.01	KNX_MOTFCR.01	KNX_MOTCH.01	KNX_MOTSS.01	KNX_MOTFSS.01	KNX_MOTFS.01		84 x 84 x 6
EYESWITCH LIGHTNING*	KNX_EYEINTB8_L01	KNX_EYEINTFB8_L01	KNX_EYEINTBL8_L01	KNX_EYEINTFBL8_L01	KNX_EYEINTBG8_L01	KNX_EYEINTFG8_L01	KNX_EYEINTBCR8_L01	KNX_EYEINTFCR8_L01	KNX_EYEINTCH8_L01	KNX_EYEINTSS8_L01	KNX_EYEINTFSS8_L01	KNX_EYEINTFS8_L01		182 x 320 x 14
EYESWITCH USB-C**	KNX_EYEINTB8_C01	KNX_EYEINTFB8_C01	KNX_EYEINTBL8_C01	KNX_EYEINTFBL8_C01	KNX_EYEINTBG8_C01	KNX_EYEINTFG8_C01	KNX_EYEINTBCR8_C01	KNX_EYEINTFCR8_C01	KNX_EYEINTCH8_C01	KNX_EYEINTSS8_C01	KNX_EYEINTFSS8_C01	KNX_EYEINTFS8_C01		182 x 320 x 14

* Power supply is included in the product LAN connection kit (EYE_LAN_KIT_L) has to be ordered separately.

** Power supply is included in the product. LAN connection kit (EYE_LAN_KIT) is not available.

*** Not included

KNX: KNX_CODE
DEMO: DEM_CODE

GLASS WHITE	GLASS BLACK	DIMENSIONS (mm)
----------------	----------------	--------------------

CORIAN® WHITE	CORIAN® BLACK	DIMENSIONS (mm)
------------------	------------------	--------------------

INTENSITY switch							
	1F	KNX_INTGW1.01*	KNX_INTGB1.01*	90 x 90 x 8	KNX_INTCW1.01	KNX_INTCB1.01	84 x 84 x 6
	2F	KNX_INTGW2.01*	KNX_INTGB2.01*	90 x 90 x 8	KNX_INTCW2.01	KNX_INTCB2.01	84 x 84 x 6
	4F	KNX_INTGW4.01	KNX_INTGB4.01	90 x 90 x 8	KNX_INTCW4.01	KNX_INTCB4.01	84 x 84 x 6
	8F	KNX_INTGW8.01	KNX_INTGB8.01	160 x 90 x 8	KNX_INTCW8.01	KNX_INTCB8.01	165 x 84 x 6

INFINITY room controller (KNX only)							
	OLED 4F	KNX_INFGW4.01	KNX_INFGB4.01	90 x 90 x 10	KNX_INFCW4	KNX_INFGB4	84 x 84 x 9
	OLED 8F	X	X	X	KNX_INFCW8	KNX_INFGB8	165 x 84 x 9

SOCKET frame 12mm		55 x 55 mm insert**		 schuko	 be/fr	 1x rj45	 usb a/c	 coax	 2x rj45	 uk	...
	1F	SOCKGW1	SOCKGB1	90 x 90 x 10,5	SOCKCW1	SOCKCB1	84 x 84 x 12				
	2F	SOCKGW2	SOCKGB2	161 x 90 x 10,5	SOCKCW2	SOCKCB2	155 x 84 x 12				
	3F	SOCKGW3	SOCKGB3	232 x 90 x 10,5	SOCKCW3	SOCKCB3	226 x 84 x 12				
	4F	On request	On request	303 x 90 x 10,5	SOCKCW4	SOCKCB4	297 x 84 x 12				
	5F	X	X	X	SOCKCW5	SOCKCB5	368 x 84 x 12				
MOTIVITY WALL detector		KNX_MOTGW01	KNX_MOTGB.01	90 x 90 x 8	KNX_MOTCW01	KNX_MOTCB.01	84 x 84 x 6				

* Until obsolete.
** Not included

KNX_KNX_CODE
DEMO_DEM_CODE

STONE BELGIAN BLUE	STONE FRENCH WHITE	STONE CARRARA BIANCO MARBLE	STONE CEPPO DI GRES LIMESTONE	STONE CALACATTA MARBLE	STONE EMPERA- DOR GREY MARBLE	STONE EMPERADOR MARRON MARBLE	STONE OAK WHITE MARBLE	DIMENSIONS (mm)
--------------------------	--------------------------	--------------------------------------	--	------------------------------	--	--	------------------------------	--------------------

WOOD AFRORMO- SIA	WOOD ASH	WOOD OAK COTTON WHITE	WOOD OAK DARK	WOOD OAK PURA NATURA	WOOD PADOUK	WOOD WALNUT	WOOD WENGÉ	DIMENSIONS (mm)
-------------------------	-------------	-----------------------------	------------------	----------------------------	----------------	----------------	---------------	--------------------

INTENSITY switch										
	1F	X	X	X	X	X	X	X	X	X
	2F	X	X	X	X	X	X	X	X	X
	4F	KNX_ INTSBB4.01	KNX_ INTSF4.01	KNX_ INTSCB4.01	KNX_ INTSCDGL4.01	KNX_ INTSCM4.01	KNX_ INTSEGM4.01	KNX_ INTSEMM4.01	KNX_ INTSOWM4.01	90 x 90 x 8
	1F	X	X	X	X	X	X	X	X	X
	2F	X	X	X	X	X	X	X	X	X
	4F	X	X	X	X	X	X	X	X	X

X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
KNX_ INTWAF4.01	KNX_ INTWAS4.01	KNX_ INTWOCW4.01	KNX_ INTWOD4.01	KNX_ INTWOPN4.01	KNX_ INTWPA4.01	KNX_ INTWWA4.01	KNX_ INTWWE4.01	90 x 90 x 8
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X

SOCKET frame 12mm 55 x 55 mm Insert**										
									...	
	1F	SOCKSBB1	SOCKSPW1	SOCKSCBM1	SOCKSCDGL1	SOCKSCM1	SOCKSEGM1	SOCKSEMM1	SOCKSOWM1	90 x 90 x 10,5
	2F	SOCKSBB2	SOCKSPW2	SOCKSCBM2	SOCKSCDGL2	SOCKSCM2	SOCKSEGM2	SOCKSEMM2	SOCKSOWM2	161 x 90 x 10,5
	3F	SOCKSBB3	SOCKSPW3	SOCKSCBM3	SOCKSCDGL3	SOCKSCM3	SOCKSEGM3	SOCKSEMM3	SOCKSOWM3	232 x 90 x 10,5
	4F	On request	On request	On request	On request	On request	On request	On request	On request	X
	5F	X	X	X	X	X	X	X	X	X
MOTIVITY WALL detector		KNX_ MOTSBB.01	KNX_ MOTSPW.01	KNX_ MOTSCBM.01	KNX_ MOTSCDGL.01	KNX_ MOTSCM.01	KNX_ MOTSEGM.01	KNX_ MOTSEMM.01	KNX_ MOTSOWM.01	90 x 90 x 8

SOCKWAF1	SOCKWAS1	SOCKWOCW1	SOCKWOD1	SOCKWOPN1	SOCKWPA1	SOCKWWA1	SOCKWWE1	90 x 90 x 10,5
SOCKWAF2	SOCKWAS2	SOCKWOCW2	SOCKWOD2	SOCKWOPN2	SOCKWPA2	SOCKWWA2	SOCKWWE2	161 x 90 x 10,5
SOCKWAF3	SOCKWAS3	SOCKWOCW3	SOCKWOD3	SOCKWOPN3	SOCKWPA3	SOCKWWA3	SOCKWWE3	232 x 90 x 10,5
On request	On request	On request	On request	On request	On request	On request	On request	X
On request	On request	On request	On request	On request	On request	On request	On request	X

* Until obsolete.
** Not included

KNX: KNX_CODE
DEMO: DEM_CODE

BLACK	WHITE	DIMENSIONS (MM)
-------	-------	-----------------

TRIMLESS BOX FOR BRICK & CONCRETE WALL/CEILING	TRIMLESS BOX FOR PLASTERBOARD WALL/CEILING	DIMENSIONS (MM)
---	---	-----------------

MOTIVITY detector

CEILING	PIR	KNX_MOTIB.01	KNX_MOTIW01	ø 17,5 x 89
LINE	PIR	KNX_MOTLIB.01	KNX_MOTLIW01	32 x 12 x 89
SAPP	PIR + BRACKET	KNX_MOTSIB.01	KNX_MOTSIW01	19 x 44 x 41,5
PLASTERBOARD	PIR + BRACKET	KNX_MOTPBIB.01	KNX_MOTPBW01	18 x 18 x 54,6

X	X	X
X	X	X
X	X	X
X	X	X

* Matching Trimless box to be ordered separately in case 100% recessed is requested.

DEMO: DEM_CODE

	ALU, ALU BLACK, ALU WHITE, BRONZE	CHROME, FORGED ALU, STAINLESS STEEL, FORGED STAINLESS STEEL	FORGED ALU DARK GREY, FORGED ALU BLACK, LANDSCAPE ALU DARK GREY	DIMENSIONS (mm)	BRONZE LIGHT, FORGED BRONZE LIGHT, FORGED BRONZE FORGED STEEL BRUSHED COPPER ROSE, FORGED COPPER ROSE, BRUSHED GOLD, FORGED GOLD	DIMENSIONS (mm)
DEMONSTRATION TOOLS (DEM_)	DEM_INTMIX4_C	DEM_INTMIX4_D	DEM_INTMIX4_E	84 x 84 x 6	DEM_INTMIX8_H	165 x 84 x 6

CODE	DIMENSIONS (MM)
------	-----------------

ELECTRICAL BOX SWITCH & SOCKET COMBO	BCU_EBSS02	158 x 73 x 45,5
ELECTRICAL BOX SWITCH & MOTIVITY COMBO	BCU_EBSM02	158 x 73 x 45,5
ELECTRICAL SWITCH & SWITCH COMBO	BCU_EBSM02	158 x 73 x 45,5
ELECTRICAL BOX SWITCH & 2F SOCKET COMBO	BCU_EBSS03	158 x 73 x 45,5

Other combinations on request

TENSE

MDT technologies GmbH
Papiermühle 1 - 51766 Engelskirchen - Germany
+49 22 63 88 0

info@tense.be - www.tense.be

© 2024 MDT technologies GmbH

With the publication of this product catalogue, all previous product catalogues become invalid. Technical modifications and corrections may be made without notice. Images may differ.

All deliveries based on the General Terms and Conditions of Business
(German version). Version: 04 / 24

www.tense.be